



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND
CITIES—UNTABULATED.

AFRICA—*Kimberley*.—Month ended September 12, 1908. Estimated population, 54,141. Total number of deaths, 51.

Lourenço Marquez.—Month ended August 31, 1908. Estimated population, 10,000. Total number of deaths, 34.

CHINA—*Kulangsu*.—Month of September, 1908. Estimated population, 3,400. Total number of deaths, 14, including 10 from cholera.

DUTCH GUIANA—*Paramaribo*.—Month of September, 1908. Estimated population, 34,085. Total number of deaths, 113. No deaths from contagious diseases reported. Malarial fever prevalent.

EGYPT—*Suez*.—Month of September, 1908. Estimated population 19,786. Total number of deaths, 72.

FRANCE—*Cherbourg*.—Month of September, 1908. Estimated population, 43,948. Total number of deaths, 53, including enteric fever 1, scarlet fever 1, and 14 from tuberculosis.

Marseille.—Month of September, 1908. Estimated population, 517,498. Total number of deaths, 764, including diphtheria 4, enteric fever 55, measles 9, whooping cough 2, and 80 from tuberculosis.

St. Etienne.—Two weeks ended September 30, 1908. Estimated population, 150,000. Total number of deaths, 88, including enteric fever 1, and 16 from tuberculosis. Cases: Enteric fever 7.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended October 3, 1908, correspond to an annual rate of 13.3 per 1,000 population, which is estimated at 16,234,952.

London.—One thousand one hundred and twenty-five deaths were registered during the week, including measles 8, scarlet fever 11, diphtheria 8, enteric fever 9, whooping cough 7, tuberculosis 108, and 81 from diarrhea. The deaths from all causes correspond to an annual rate of 13.3 per 1,000. In Greater London 1,587 deaths were registered. In the "outer ring" the deaths included 1 from measles, 5 from diphtheria, 3 from whooping cough, and 17 from diarrhea.

Salford.—Week ended October 3, 1908. Estimated population, 239,294. Total number of deaths, 90, including scarlet fever 1, diarrhea 8, and whooping cough 2.

Ireland.—The average annual death rate represented by the deaths registered during the week ended October 3, 1908, in the 21 principal town districts of Ireland was 16.4 per 1,000 of the population, which is estimated at 1,131,959. The lowest rate was recorded in Waterford, viz, 3.9, and the highest in Newtownards, viz, 34.3 per 1,000.

Scotland.—The deaths registered in 8 principal towns during the week ended October 3, 1908, correspond to an annual rate of 13.4

per 1,000 of the population, which is estimated at 1,839,038. The highest rate of mortality was recorded in Edinburgh, viz, 15.2, and the lowest in Perth, viz, 3.0 per 1,000. The aggregate number of deaths registered from all causes was 474, including diphtheria 6, enteric fever 2, measles 2, scarlet fever 4, whooping cough 16, and 30 from diarrhea.

GREECE—Patras.—Month of September, 1908. Estimated population, 42,500. Total number of deaths, 28, including enteric fever 4, and 12 from tuberculosis.

HAWAII—Honolulu.—Month of September, 1908. Census population, 39,306. Total number of deaths 77, including enteric fever 4, diphtheria 1, and 8 from tuberculosis.

SPAIN—Barcelona.—Ten days ended October 4, 1908. Estimated population, 600,000. Total number of deaths, 296, including diphtheria 1, enteric fever 14, smallpox 5, measles 1, whooping cough 5, and 22 from tuberculosis.

Gibraltar.—Two weeks ended October 4, 1908. Estimated population 26,830. Total number of deaths 100, including 1 from tuberculosis.

Madrid.—Month of September, 1908. Estimated population, 547,399. Total number of deaths, 914, including diphtheria 3, enteric fever 22, measles 16, scarlet fever 14, whooping cough 3, smallpox 2, and 126 from tuberculosis.

WEST INDIES—St. Thomas.—Two weeks ended October 2, 1908. Estimated population, 11,012. Total number of deaths, 12, including 1 from enteric fever.

Cholera, yellow fever, plague, and smallpox, from June 27 to October 30, 1908.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls, through the Department of State, and from other sources.]

[For reports received from December 27, 1907, to June 26, 1908, see PUBLIC HEALTH REPORTS for June 26, 1908.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
Austria:				
Ostrowo	Sept. 8	76	39	
Tarnopol	Sept. 14	1		
Ceylon, general	May 17-23		1	
Colombo	June 7-Aug. 15	33	22	20 cases in the asylum for the insane.
China:				
Amoy (Kulangsu)	July 26-Sept. 19		40	
Canton	June 21-27			Present.
Hankau	July 19-Sept. 12	20	14	Among foreigners.
Do	July 19-Aug. 18	10,790	1,397	Among natives.
Hanyang	July 27-Aug. 18		200	
Hongkong	June 14-Sept. 5	42	46	
Shanghai	Aug. 17-Sept. 27			Present, and in vicinity.
Wuchang	Aug. 5-18		2,140	100 cases in military encampment.
India:				
Bombay	May 20-Sept. 29		26	
Calcutta	May 10-Sept. 12		290	On ss. Annie, en route May 23-June 1, 2 deaths.
Kurrachee	Aug. 8-Sept. 4		26	
Madras	May 16-Sept. 18		856	
Rangoon	May 17-Sept. 19		60	